

## 1. Chemical Product and Company Identification

Product Name: Ultrinium™ 212 Life Extension Fluid

Other names: None

Intended Use: Additive for power cable

HMIS Codes Health: 2 Flammability: 2 Physical Hazard: 1

Company: Novinium, Inc.  
22019 70<sup>th</sup> Avenue So.  
Kent, WA 98032, USA  
1+206-529-4828  
1+206-774-9754 fax  
[www.novinium.com](http://www.novinium.com)

## 2. Composition Information on Ingredients

Chemical Family: Organic

| <b>Ingredient Name</b> | <b>CAS No</b> | <b>Concentration</b> |
|------------------------|---------------|----------------------|
| acetophenone           | 98-86-2       | <55% <sub>w</sub>    |
| propylene carbonate    | 108-32-7      | <30% <sub>w</sub>    |
| TINUVIN® 123           | 129757-67-1   | <11% <sub>w</sub>    |
| TINUVIN® 1130          | 104810-48-2   | <3% <sub>w</sub>     |
| geranylacetone         | 3796-70-1     | <3% <sub>w</sub>     |
| ferrocene              | 102-54-5      | <4% <sub>w</sub>     |
| IRGASTAB® CABLE KV10   | 110553-27-0   | <5% <sub>w</sub>     |

## 3. Hazardous Identification

- May cause moderate irritation to skin. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects.
- Irritating to respiratory tract. Inhalation may irritate the respiratory tract. Prolonged inhalation may cause drowsiness.
- Direct contact with eyes may cause moderate irritation.

## 4. First Aid Measures

Inhalation: Move exposed individual to fresh air. Administer Oxygen, if needed. Call physician.

Skin Contact: Flush with water, and then wash with soap and water.

Eye Contact: In case of contact, immediately flush eyes with flowing water for at least 15 minutes.

Ingestion: Get medical attention.

## 5. Fire Fighting Measures

Flash Point, TCC: >82°C (180°F)

Auto ignition: not determined

Do NOT use water jet; use dry chemicals

Suitable fire-extinguishing media: [OK] water fog, [OK] CO<sub>2</sub>, [OK] foam, [OK] dry chemicals

Note: Avoid eye and skin contact. Do not breathe fumes or inhale vapors. Irritating fumes and organic acid vapors may be formed when material is exposed to elevated temperature or open fires.

Keep containers cool.

## 6. Accidental Release Measures

Avoid all sources of ignition (e.g. naked lights, unprotected light bulbs, electric hand tools).

Ventilate the area and avoid breathing vapors.

Recommended disposal: In a well ventilated area with adequate personal protection, hydrolyze material by mixing with cold water. Resulting waste is a viscous liquid containing methanol. Follow all chemical pollution control regulations for land fill.

Wear protective clothing when dealing with spillage or fire.

For confined areas use self contained breathing apparatus.

Dispose of wastes and empty containers in accordance with regulations made under the control of pollution acts and environmental protection acts.

Using adequate eye protection, collect spillage, where practicable, using absorbent material, and transfer to a suitable container for disposal.

Keep away from drains, surface and ground water, and soil.

Do not allow spills to enter drains or watercourses.

Refer to "Exposure controls--Personal protection" and "Disposal Considerations".

## 7. Handling and Storage

|                  |  |
|------------------|--|
| <b>Handling:</b> | <p>Keep away from heat, sparks, and flame.<br/>         Keep container closed.<br/>         The product may charge electrostatically.<br/>         Operators should wear clothing which does not generate static (at least 60% natural fiber) and antistatic foot wear.<br/>         Do not breathe (vapor, mist, gas).<br/>         Use only with ventilation.<br/>         Do not get in eyes, or skin, or on clothing.<br/>         Avoid prolonged or repeated contact with skin.<br/>         Wash thoroughly after handling.<br/>         Protection as shown in "Exposure controls/ Personal protection".</p> |
| <b>Storage:</b>  | <p>Store in sealed containers.<br/>         Avoid prolonged or repeated contact with skin and inhalation.<br/>         Keep away from heat, sparks, and flame.<br/>         Store in a well-ventilated, dry place away from sources of heat and direct sunshine.</p>   |

## 8. Exposure Controls/Personal Protection

Engineering Measures: Prevent vapor build up by providing adequate ventilation during and after use.

An eye wash facility should be readily available.

Exposure Limit:

| <b>Ingredient</b>          | <b>ACGH TLV (TWA)</b> |
|----------------------------|-----------------------|
| ferrocene (CAS 102-54-5)   | 10 mg/m <sup>3</sup>  |
| acetophenone (CAS 98-86-2) | 10 ppm                |

Note: (TWA) = time weighted average

Personal protection:

|                         |  |
|-------------------------|--|
| Respiratory protection: | Wear NIOSH standard-approved appropriate equipment   |
| Hand protection:        | Wear impervious disposable gloves made from plastic or latex.  |
| Eye protection:         | Wear safety glasses with side shields or chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material. Do NOT wear contact lenses. |

## 9. Physical and Chemical Properties

|                        |                |
|------------------------|----------------|
| Physical State:        | Liquid         |
| Color:                 | Reddish orange |
| Odor:                  | Mildly sweet   |
| pH:                    | Not applicable |
| Boiling point:         | > 130°C        |
| Flash point:           | > 82°C (180°F) |
| Ignition temperature:  | Not determined |
| Lower explosive limit: | Not determined |
| Vapor pressure:        | <0.5 mm        |
| Specific density:      | 1.1            |
| Vapor density:         | >1             |
| Solubility in water:   | Insoluble      |
| Percentage volatile:   | NA             |

## 10. Stability and Reactivity

|                      |   |
|----------------------|---|
| Stability:           | Stable under recommended storage and handling conditions (see "Storage and Handling")   |
| Conditions to avoid: | Avoid contact with heat, sparks, or open flame.<br>Avoid contact with oxidizing agents. |

## 11. Toxicological Information

There are no data available on the product itself.

Toxicological information of ingredients:

Acute toxicity:

**Acetophenone** – oral LD<sub>50</sub> (rat) = 815 – 3000 mg/kg, oral LD<sub>50</sub> (mouse) = 740 mg/kg, dermal LD<sub>50</sub> (guinea pig) > 20,600 mg/kg, dermal LD<sub>50</sub> (rabbit) > 1760 -15,900 mg/kg

**Ferrocene** – oral LD<sub>50</sub> (mouse) = 832 mg/kg, oral LD<sub>50</sub> (rat) = 1320 mg/kg

Local effects:

Eye irritant: acetophenone, ferrocene

Sensitization: acetophenone 515 mg (rabbit)

Chronically long term effect: No data

## 12. Ecological Information

Prevent spills from entering sewers, watercourses, or low areas to avoid pollution.

### 13. Disposal Considerations

The product should not be allowed to enter drains and watercourses.

All notification, clean-up, and disposal should be carried out in accordance with federal, state, and local regulations.

Preferred method of waste disposal is incineration, or biological treatment in federal/state approved facility.

Wastes and empty containers should be disposed of in accordance with regulations made under the control of pollution acts and the environmental protection acts.

### 14. Transport Information

|                    |                                     |
|--------------------|-------------------------------------|
| DOT Shipping Name: | Chemicals n.o.i (non-hazardous)     |
| DOT Hazard Class:  | None                                |
| DOT Label:         | None                                |
| DOT ID No.:        | None                                |
| Storage:           | See section on Storage and Handling |
| Packaging:         | Non-bulk (Non-regulated)            |
| IATA:              | Non-regulated for air transport     |

### 15. Regulatory Information

Contents of the MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status: All chemical substances in this material are included on, or exempted from, listing on the TSCA Inventory of Chemical Substances.

#### EPA SARA Title III Chemical Listings

Section 302 Extremely Hazardous Substances: None

Section 304 CERCLA Hazardous Substances: None

Section 312 Hazard Class:

|           |     |
|-----------|-----|
| Acute:    | Yes |
| Chronic:  | Yes |
| Fire:     | Yes |
| Pressure: | No  |
| Reactive: | No  |

Section 313 Toxic Chemicals:

None present, or none present in regulated quantities.

## 16. Supplemental State Compliance Information

| <b>CAS No.</b> | <b><u>Component Name</u></b> | <b><u>State Compliance Information</u></b>   |
|----------------|------------------------------|--|
| 98-86-2        | acetophenone                 | Listed in State Right to Know for CA, MA, NJ, PA, MN, FL<br>Canada DSL/NDSL listed<br>Listed in EPCRA 313  |
| 102-54-5       | ferrocene                    | Listed in State Right to Know for CA, MA, NJ, PA, MN, FL<br>Canada DSL/NDSL Listed<br>Clean Air Act: None<br>Clean Water Act: None<br>WGK Not Listed<br>TSCA Listed<br>OSHA Not highly hazardous<br>Carcinogenicity: Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA. |
| 110553-27-0    | IRGASTAB®<br>CABLE KV10      | Listed in State Right to Know for CA, MA, NJ, PA, MN, FL   |
| 108-32-7       | propylene carbonate          | TSCA listed<br>DSL listed  |

*The information contained in this document has been gathered from reference materials and/or test data and is to our best knowledge and belief accurate and reliable. Such information is offered solely for your consideration, identification, and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. There are no warranties expressed or implied with respect to the use of such information and we assume no responsibility therefore.*

*It is advised that users carry out their own tests to determine the safety and suitability of each product or combination of products for their end use.*

*Notice: Novinium® is a registered trademark and Ultrinium™ is a trademark of Novinium, Inc. The Novinium process is protected by granted and pending U.S. Patents and their foreign equivalents including 7,195,504 and 7,353,601. An expanded list is available at [www.novinium.com/patents.aspx](http://www.novinium.com/patents.aspx). IRGASTAB® and TINUVIN® are registered trademarks of Ciba Specialty Chemicals, Inc.*