

## 1. Chemical Product and Company Identification

Product Name: Ultrinium™ 732 Life Extension Fluid

Other names: None

Intended Use: Additive for power cable

HMIS Codes Health: 2 Flammability: 2 Physical Hazard: 1

Preparer: Novinium, Inc.  
34110 9th AVE S, STE B  
Federal Way, WA 98003, USA  
1+206-529-4828  
1+206-774-9754 fax  
1+253-230-7320 (emergency contact)  
[www.novinium.com](http://www.novinium.com)

## 2. Composition Information on Ingredients

Chemical Family: Organosilane

Ingredient Name	CAS No	Concentration
tolylethylmethyldimethoxysilane	722542-80-5	<37% <sub>w</sub>
dimethoxymethyl[2-(methylphenyl)ethyl]silane	722542-79-2	<28% <sub>w</sub>
cyanobutylmethyldimethoxysilane	793681-94-4	<67% <sub>w</sub>
ferrocene	102-54-5	<3% <sub>w</sub>
2-ethyl-1-hexanol	104-76-7	<19% <sub>w</sub>
TINUVIN® 123	129757-67-1	<3% <sub>w</sub>
TINUVIN® 1130	104810-48-2	<3% <sub>w</sub>
geranylacetone	3796-70-1	<3% <sub>w</sub>
IRGASTAB® CABLE KV10	110553-27-0	<4% <sub>w</sub>
alkylbenzenesulfonic acid	68584-22-5	<0.1% <sub>w</sub>
methanol	67-56-1	<1% <sub>w</sub>

Please note that contact with water or moisture can result in the release of methanol up to 30%<sub>w</sub> of the original product weight.

## 3. Hazardous Identification

- Harmful if swallowed. Methanol is produced on contact with water, which may cause blindness or death.

- May cause moderate irritation to skin. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects.
- Irritating to respiratory tract. Inhalation may irritate the respiratory tract. Prolonged inhalation may cause drowsiness.
- Direct contact with eyes may cause moderate irritation.

#### 4. First Aid Measures

Inhalation: Move exposed individual to fresh air. Administer Oxygen, if needed. Call physician.

Skin Contact: Flush with water, and then wash with soap and water.

Eye Contact: In case of contact, immediately flush eyes with flowing water for at least 15 minutes.

Ingestion: Get medical attention.

Note to Physicians: This product reacts with water and moisture to form methanol. The combination of visual disturbances, metabolic acidosis, and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10mls/hr) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

#### 5. Fire Fighting Measures

Flash Point, TCC: >61°C (142°F)

Auto ignition: not determined

Do NOT use water jet; use dry chemicals

Suitable fire-extinguishing media: [OK] water fog, [OK] CO<sub>2</sub>, [OK] foam, [OK] dry chemicals

Note: Avoid eye and skin contact. Do not breathe fumes or inhale vapors. Irritating fumes and organic acid vapors may be formed when material is exposed to elevated temperature or open fires.

Keep containers cool.

#### 6. Accidental Release Measures

Avoid all sources of ignition (e.g. naked lights, unprotected light bulbs, electric hand tools).

Ventilate the area and avoid breathing vapors.

Recommended disposal: In a well ventilated area with adequate personal protection, hydrolyze material by mixing with cold water. Resulting waste is a viscous liquid containing methanol. Follow all chemical pollution control regulations for land fill.

Wear protective clothing when dealing with spillage or fire.

For confined areas use self contained breathing apparatus.

Dispose of wastes and empty containers in accordance with regulations made under the control of pollution acts and environmental protection acts.

Using adequate eye protection, collect spillage, where practicable, using absorbent material, and transfer to a suitable container for hydrolysis and disposal.

Keep away from drains, surface and ground water, and soil.

Do not allow spills to enter drains or watercourses.

Refer to "Exposure controls--Personal protection" and "Disposal Considerations".

## 7. Handling and Storage

<b>Handling:</b>	Keep away from heat, sparks, and flame. Keep container closed. The product may charge electrostatically. Operators should wear clothing which does not generate static (at least 60% natural fiber) and antistatic foot wear. Do not breathe (vapor, mist, gas). Use only with ventilation. Do not get in eyes, or skin, or on clothing. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Protection as shown in "Exposure controls/ Personal protection".
<b>Storage:</b>	Store in sealed containers. Avoid prolonged or repeated contact with skin and inhalation. Keep away from heat, sparks, and flame. Store in a well-ventilated, dry place away from sources of heat and direct sunshine.

## 8. Exposure Controls/Personal Protection

Engineering Measures: Prevent vapor build up by providing adequate ventilation during and after use.

An eye wash facility should be readily available.

Exposure Limit:

<b>Ingredient</b>	<b>ACGIH TLV (TWA)</b>	<b>ACGIH TLV (STEL)</b>	<b>OSHA (PEL)</b>
ferrocene (CAS 102-54-5)	10 mg/m <sup>3</sup>		
methanol (CAS 67-56-1)	200 ppm-skin	250 ppm	260 mg/m <sup>3</sup>

Note: (TWA) = time weighted average; (STEL) = short term exposure limit; (PEL) = permissible exposure limit; (TLV) = threshold limit value; (ACGIH) = American Conference of Industrial Hygienists

Personal protection:

Respiratory protection:	Under normal operating circumstances (i.e. when Novinium Rejuvenation Instructions are followed) there are no significant vapors released. If an accidental release does occur and the product is used outdoors or where there otherwise is adequate ventilation respiratory protection is not required. For inadequately ventilated areas in the case of a spill, wear NIOSH standard-approved appropriate equipment.
Hand protection:	Wear impervious disposable gloves made from plastic or latex when fluid is inadvertently spilled.
Eye protection:	Wear safety glasses with side shields or chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material. Do NOT wear contact lenses.

## 9. Physical and Chemical Properties

Physical State:	Liquid
Color:	Reddish orange
Odor:	Mildly sweet (threshold 10 to 20,000 ppm)
pH:	Not applicable
Boiling point:	> 90°C (194°F)
Freezing point:	< -18°C (0°F) (crystallization)
Flash point:	> 61°C (142°F) (ASTM D93-10)
Auto ignition temperature:	Not determined
Lower flammable limit:	Not determined
Upper flammable limit:	Not determined
Vapor pressure:	< 2.5 psi at 25°C
Evaporation rate	Slow
Specific density:	1.02
Vapor density:	>1
Solubility in water:	Insoluble, reacts
Coefficient of water/oil distribution	< 0.01
Percentage volatile:	NA

## 10. Stability and Reactivity

Stability:	Stable under recommended storage and handling conditions (see "Storage and Handling"). There are not explosion sensitivities to mechanical impact or static discharge.
Conditions to avoid:	Avoid contact with heat, sparks, or open flame. Avoid contact with oxidizing agents.
Materials to avoid:	Keep away from water. Reacts with water and moisture in air to liberate methanol.
Hazardous decomposition products:	methanol, silicon dioxide
Hazardous combustion products:	silicone dioxide

## 11. Toxicological Information

There are no data available on the product itself.

Toxicological information of ingredients:

Acute toxicity:

**Methanol** – oral LD<sub>50</sub> (mouse) = 7,300 mg/kg, dermal LD<sub>50</sub> (rabbit) = 14,200 mg/kg, inhalation (rat) LC<sub>50</sub> = 64,000 ppm/4H

**Ferrocene** – oral LD<sub>50</sub> (mouse) = 832 mg/kg; ipn LD<sub>50</sub> (mouse) = 335 mg/kg; ivn LD<sub>50</sub> (mouse) = 178 mg/kg; oral LD<sub>50</sub> (rat) = 1,320 mg/kg; ipn LD<sub>50</sub> (rat) = 500 mg/kg; ims TDLo 5,175mg/kg/2Y-I (rat); germ cell mutagenicity, genotoxicity in vitro sister chromatid exchange (hamster-ovary)

Please note that contact with water or moisture can result in the release of methanol up to 30%<sub>w</sub> of the original product weight.

Local effects:

Eye irritant: toylethylmethyldimethoxysilane, dimethoxymethyl[2-(methylphenyl)ethyl]silane, cyanobutylmethyldimethoxysilane, methanol, ferrocene

Chronically long term effect: No data

## 12. Ecological Information

Prevent spills from entering sewers, watercourses, or low areas to avoid pollution.

### 13. Disposal Considerations

The product should not be allowed to enter drains and watercourses.

All notification, clean-up, and disposal should be carried out in accordance with federal, state, and local regulations.

In case of a spill absorb with soil and sand. Collect in properly labeled drums.

Preferred method of waste disposal is incineration, or biological treatment in federal/state/provincial approved facility.

Wastes and empty containers should be disposed of in accordance with regulations made under the control of pollution acts and the environmental protection acts.

### 14. Transport Information

DOT Shipping Name: Chemicals n.o.i (non-hazardous)  
DOT Hazard Class: None  
DOT Label: None  
DOT ID No.: None  
Storage: See section on Storage and Handling  
Packaging: Non-bulk (Non-regulated)  
IATA: Non-regulated for air transport

### 15. Regulatory Information

Contents of the MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (Canada CPR) and the MSDS contains all of the information required by the Controlled Products Regulations.

TSCA Status: All chemical substances in this material are included on, or exempted from, listing on the TSCA Inventory of Chemical Substances.

#### EPA SARA Title III Chemical Listings

Section 302 Extremely Hazardous Substances: None

Section 304 CERCLA Hazardous Substances: None

Section 312 Hazard Class:

Acute: Yes  
Chronic: Yes  
Fire: Yes  
Pressure: No  
Reactive: No

Section 313 Toxic Chemicals:

None present, or none present in regulated quantities.

16. Supplemental State/Provincial Compliance Information

<b>CAS No.</b>	<b><u>Component Name</u></b>	<b><u>State/Provincial Compliance Information</u></b>
67-56-1	methanol	Listed in State Right to Know for CA, MA, NJ, PA, MN, FL CERCLA 304: RQ 5k lb. Section 302: RQ 5k lb. TPO none DOT 5k lb. SARA: Flammable, Acute Canada: DSL/NDSL listed Hazard Symbol: TF Risk: 11 23/24/25, 39 23/24/25 WGK listed: 1 TSCA listed Clean Air Act: Listed as HAP (Hazardous Air Pollutant), no class 1 or class 2 ozone depletion. Clean Water Act: no priority pollutants
102-54-5	ferrocene	Listed in State Right to Know for CA, MA, NJ, PA, MN, FL Canada DSL/NDSL Listed Clean Air Act: None Clean Water Act: None WGK Not Listed TSCA Listed OSHA Not highly hazardous Carcinogenicity: Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA.
110553-27-0	Irgastab® Cable KV10	Listed in State Right to Know for CA, MA, NJ, PA, MN, FL

*The information contained in this document has been gathered from reference materials and/or test data and is to our best knowledge and belief accurate and reliable. Such information is offered solely for your consideration, identification, and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. There are no warranties expressed or implied with respect to the use of such information and we assume no responsibility therefore.*

*It is advised that users carry out their own tests to determine the safety and suitability of each product or combination of products for their end use.*

Notice: Novinium® is a registered trademark and Ultrinium™ is a trademark of Novinium, Inc. The Novinium process is protected by granted and pending U.S. Patents and their foreign equivalents including 7,195,504, 7,353,601, 7,538,274, 7,611,748, 7,615,247, 7,643,977, 7,658,808, 7,683,260, and 7,700,871. An expanded list is available at [www.novinium.com/patents.aspx](http://www.novinium.com/patents.aspx). IRGASTAB® and TINUVIN® are registered trademarks of BASF.